

USG BORAL SPACE CUBES™ CEILING SYSTEM

Technical Manual (Installation Guide)

The USG Boral Space Cubes™ Ceiling System creates a simple open plan ceiling design. The Space Cubes™ ceiling panels can be easily installed or removed, providing quick access to the ceiling plenum.



USGBoral.com

Gypsum Boards

Ceilings

Compounds

Metal Framing

Substrates

USG BORAL SPACE CUBES™ CEILING SYSTEM

Safety First!

Follow good safety and industrial hygiene practices during installation. Wear appropriate personal protective equipment.

Installation

All ceiling products and systems must be installed and maintained in accordance with current USG Boral written instructions and best industry practice, including the CISCA Handbook, ASTM C636, and standard industry practices, within all applicable code requirements. Alternative assemblies and installation methods may be utilised when approved by the Authority Having Jurisdiction. USG Boral recommends checking with the Authority Having Jurisdiction prior to designing and installing a suspended ceiling system. Because codes continue to evolve, check with a local official prior to designing and installing a ceiling system. Other restrictions and exemptions may apply.

Notice

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered.

System Components - Supplied by USG Boral









Runner bracket

Main runner

Cross runner

Cell element

System Components - Supplied by Installer







Galvanised M6 nut



Galvanised M6 washer



Galvanised M6 self tapping screw

Tools Required for Installation



Cordless drill/driver



6mm rotary masonry drill bit



Phillips head #2 screwdriver bit



10mm open ended wrench



Safety glasses




Work gloves



Safety helmet

General Arrangement Drawing of Suspension System



Item	Item Number	Description
А	AA-600	Cell element A
В	BB-600	Cell element B
С	DD-600	Cell element D
D	P-14-1	Main runner (3.0m)
Е	P-14-2	Cross runner (1.2m)
F	P-14-3	Cross runner (0.6m)
G	P-102	Runner bracket
Н		Threaded rod
		Anchor bolt

Step by Step Installation Instructions



Step 1Put on personal protective equipment.






Step 3Insert Runner bracket. Secure with M6 washer and nut on the top and bottom of the bracket as shown.




Step 4Insert Main runner into Runner bracket. Ensure Main runner and Runner bracket are both level.




Step 5Tighten screw on Runner bracket clamp. Ensure Main runner is securely attached to Runner bracket.



Step 7Install remaining Cross runners and Main runners to create a frame for the Cell elements.



Step 9Ensure Cell elements sit flush on the runners. Install remaining Cell elements in accordance with the ceiling layout.



Step 6Insert Cross runners perpendicular to Main runner.
Ensure Cross runners are inserted until it locks with a click.



Step 8Install a Cell element onto the runner frame.

Australia
China
India
Indonesia
Malaysia
Middle East
New Zealand
Philippines
Singapore
South Korea
Thailand
Vietnam

3rd Floor 108 Central Building A 108 E. Rodriguez Jr. Avenue, Bagumbayan, Quezon City, Philippines 1110 T: +63 2 911 6709 | F: +63 2 911 6709 ext. *98 info.ph@usgboral.com